



MHS

















MH Southern & Company Ltd

Mouldings decking and fencing timbers

More than **H**ardwoods & **S**oftwoods

This brochure details most of our extensive profile range. Many, but not all, of these patterns are held in stock at our depots. In addition our toolrooms can produce bespoke cutters to copy the majority of special patterns to match a project. Please ask us for further details on how we can help with special enquiries and orders.

Tongued and Grooved Floorings and Claddings

112 T&G Various thicknesses and widths. All machined to BS 1297		6640 Log Effect 25mm x 100mm	
6610 TG&V 2 Sides 19mm and 25mm thickness 100mm and wider		6645 Felling Log Effect 25mm x 100mm	
6600 TG&V 1 Side 12mm to 32mm thickness 100mm and wider		6650 Log Effect 25mm x 125mm	
6615 TG&V and Beading 19mm x 100mm and wider		6665 Half Lap 25mm x 150mm	
6620 Spooned Weatherboard 19mm x 100mm and wider		6660 Cladding 19.5mm x 142mm	
6625 Spooned Weatherboard T&G 16mm or 19mm thickness 100mm and wider		6670 Cladding 21mm x 142mm	
9014 Channel Lining 19mm or 25mm thickness 100mm and wider		6680 Cladding 20mm x 145mm	
6630 Log Effect 19mm x 100mm		6690 Cladding 19mm x 145mm	




















PSE Timbers

In addition to the moulding designs shown here, we can also supply planed squared edged (PSE) timber in nominal sizes from 16mm x 25mm up to 150mm x 300mm. These can be supplied treated or untreated.

All sizes are nominal. Please note: drawings are not to scale.

Skirtings and Backmoulds

We can also machine special patterns not included here to suit your requirements.

6210 Pencil Round 19mm or 25mm thickness 50mm and wider		6040 Jarrow Ogee 19mm or 25mm thickness, 75mm and wider	
6220 Twice Pencil Round 19mm or 25mm thickness 50mm and wider		6050 Ovolo 19mm or 25mm thickness, 75mm and wider	
6230 Chamfered 19mm or 25mm thickness 50mm and wider		6060 Antique 19mm thickness 50mm and wider.	
6240 Lambs Tongue 19mm x 50mm		6070 Felling Moulded 25mm x 75mm	
6250 Lambs Tongue 19mm x 75mm and wider		6080 Felling Antique/ Pencil Round 25mm thickness 175mm	
6260 19mm Dual Mould (Pencil Round & Chamfer) 75mm and wider		9008 Berwick Ogee & Bead 19mm thickness 75mm and wider	
6010 Sunderland Ogee 19mm or 25mm thickness 75mm and wider		9010 Berwick Ogee 19mm thickness 75mm and wider	
6020 Hexham Ogee 19mm or 25mm thickness 75mm and wider		1130 Beaded 19mm thickness 150mm	
6030 Torus 19mm or 25mm thickness 75mm and wider		8146 Alnwick pattern 25mm x 75mm	
		8152 Manchester pattern 25mm x 75mm and wider	


All sizes are nominal. Please note: drawings are not to scale.

Picture, Dado and Delph Mouldings

6110

Picture Rail


25mm x 50mm



6120

Dado Rail


25mm x 75mm



6125

Dado Rail

25mm x 75mm



6130

Dado Rail

25mm x 63mm



6140

Dado Rail

25mm x 50mm



6150

Picture Rail

38mm x 100mm



6170

Picture Rail

25mm x 50mm



6180

Quadrant

19mm x 19mm
25mm x 25mm




Handrails and Baserails

6310

Mopstick Handrail


50mm x 50mm



6320

Handrail

50mm x 75mm
to take 32mm or 41mm spindles



6322

Handrail

63mm x 75mm



6330

Pig's Ear Handrail

38mm x 100mm



6340

Base Rail

38mm x 75mm
to take 32mm or 41mm spindles



6342

Base Rail

38mm x 75mm



Garden Sleepers

Softwood sleepers:
100mm x 200mm x 2.4m & 125mm x 250mm x 2.4m
Available as Tanalised® treated (green) or with a built-in brown colour option - Tanatone®

Hardwood sleepers:
100mm x200mm x2.4m
Rustic oak


All sizes are nominal. Please note: drawings are not to scale.

Decking Range

6350

Dual Deck Board


38mm x 150mm
Lengths up to 4.8m



6360

Dual Deck Board

38mm x 100mm
Lengths up to 4.8m



6325

Handrail

50mm x 75mm
Lengths up to 4.8m



6345

Baserail

38mm x 75mm
Lengths up to 4.8m



Deck Joists/Beams

47mm x 100mm 47mm x 150mm
47mm x 175mm 47mm x 200mm
Lengths up to 6m



Newel Post

82mm x 82mm x 1600mm
finished size including ball finial



Turned Spindle

41mm x 41mm x 895mm
finished size



Support Posts


75mm x 75mm
75mm x 100mm
100mm x 100mm
Lengths up to 4.8m



Fencing Timbers


Weatherboard Log Effect

19mm x 100mm
19mm x 150mm
25mm x 100mm
25mm x 125mm
25mm x 150mm



Weatherboard Spooned

19mm x 100mm
19mm x 125mm
19mm x 150mm
25mm x 150mm



6375 Fence Capping

38mm x 50mm with 22mm groove
38mm x 75mm with no groove



6385 Fence Capping

38mm x 50mm



Fence Posts

DIMENSIONS	LENGTH
75mm x 75mm	1.8m, 2.4m, 3.0m
75mm x 100mm	1.8m, 2.4m
100mm x 100mm	1.8m, 2.4m, 3.0m, 3.6m
100mm x 150mm	2.4m, 3.0m, 3.6m, 4.8m
2.1m posts are available to order	

Fence Boards

DIMENSIONS	LENGTH
16mm x 100mm	1.8m
16mm x 150mm	1.8m, 2.4m
19mm x 100mm	1.8m
19mm x 150mm	1.8m, 2.4m
22mm x 100mm	1.8m, 2.4m, 3.0m, 3.6m, 4.2m, 4.8m
22mm x 150mm	1.8m, 2.4m, 3.6m, 4.2m, 4.8m
Military and pointed palings also available	

Fence Rails

DIMENSIONS	LENGTH
38mm x 75mm	3.6m, 4.2m
38mm x 88mm	3.6m, 4.2m


All sizes are nominal. Please note: drawings are not to scale.

Door Frame Linings, Weather Mould, Cills and Internal Window Boards

6520

Ovolo Door Frame


75mm x 115mm



6530

Dressed and Rebated

32mm to 50mm thickness
100mm and wider



6410

Nosed and Rebated

25mm, 32mm and 38mm thickness
150mm to 275mm width



6420

Nosed


25mm, 32mm and 38mm thickness
150mm to 275mm width



6460

Sub Cill


38mm x 75mm



6510

Door Frame


63mm x 100mm
and 75mm x 115mm
(also available as square)



6440

Hartlepool Weathermould


50mm x 75mm



6445

Door Weathermould


50mm x 75mm



6465

Sub Cill

50mm x 75mm



6475

Meranti Door Cill

50mm x 150mm




MDF Stock Range

Twice primed and sanded. Moisture resistant


Pencil Round

18mm x 44mm x 5.4m
18mm x 68mm x 5.4m
18mm x 94mm x 5.4m
18mm x 144mm x 5.4m




Ogee

18mm x 68mm x 5.4m
18mm x 119mm x 5.4m
18mm x 144mm x 5.4m
18mm x 168mm x 5.4m
18mm x 219mm x 4.4m




Torus

18mm x 68mm x 5.4m
18mm x 119mm x 5.4m
18mm x 144mm x 5.4m
18mm x 168mm x 5.4m
18mm x 219mm x 4.4m




Chamfered and Rounded

18mm x 68mm x 5.4m
18mm x 94mm x 5.4m
18mm x 144mm x 5.4m



Nosed & Tongued

25mm x 220mm x 5.49m
25mm x 245mm x 5.49m
25mm x 295mm x 5.49m



Edwardian

25mm x 80mm x 4.2m
25mm x 194mm x 4.2m




Victorian

25mm x 80mm x 4.2m
25mm x 194mm x 4.2m



Art Deco

25mm x 80mm x 4.2m
25mm x 194mm x 4.2m



Specialist Timbers

MH Southern offer a range of timbers to customers looking for more specialist items including large sections and longer lengths for particular projects.

Softwoods

DOUGLAS FIR
This is a timber of good strength and durability and is available in merchantable and clear grades. Large sections lend themselves to heavy constructional use, while smaller kiln dried, clear sections work well in both internal and external joinery applications.

HOME GROWN LARCH
Slow grown, tough and durable these British timbers have an attractive knotty appearance and are ideal for applications that require a rustic appearance.

SIBERIAN LARCH
Larch is a very versatile softwood, because it is slow grown it is a dense and durable product making it ideal for cladding, weatherboard and decking applications.

PITCH PINE
This is a strong and durable timber used for ship building, decorative beams and heavy constructional work, with smaller kiln dried sections being used for flooring and quality joinery works.

QUEBEC YELLOW PINE
This species is sometimes referred to as White Pine, and is native of North America. It is a very stable timber and much lighter and softer than comparative redwoods.

WESTERN RED CEDAR
A very durable timber with character which lend itself well for use in a number of external applications such as exterior cladding, greenhouse and conservatory manufacturing.

GERMAN WHITEWOOD
German whitewood is straight-grained with a smooth and even texture. The wood has medium density. Suitable for multiple applications.

THERMOWOOD
Heat treated Scandinavian or Radiata Pine softwood. The thermally treated wood can be used for outdoor purposes such as facades and exterior cladding.

Sheet Materials

- MH Southern can supply sheet materials including:
- | | |
|--------------------|-------------------|
| OSB | Hardwood plywoods |
| Chipboard flooring | Softwood plywoods |
| MDF | FR plywood |
| Marine plywood | Hardboard |
| Birch plywood | Veneered plywood |

Hardwoods

EKKI
Ekki continues to be popular as a specialist timber. Its appearance, natural density, durability and resistance to decay make it a popular species for a number of specialist heavy duty construction uses.

OAK
Oak wood is strong, heavy and durable. It is an attractive light colour with a prominent grain and is resistant to fungal attack.

GREENHEART
One of the strongest timbers commercially available today, in both large sections and long lengths. Greenheart is a very durable timber for use in a variety of constructional situations including both marine and heavy civil engineering projects.

OPEPE
A yellowish-brown hardwood grown in West Africa. Extremely strong, durable and resistant to decay. Opepe is widely used in heavy construction applications and in marine and jetty work.

- We also offer:
- Full milling
 - Timber treatments
 - Strength grading
 - Transport fleet with crane off load facilities



Other Services

- Priming
- Lacquering
- Fire retardant treatment
- High pressure Tanalith® E wood preservative treatment with Tanatone® brown colour additive if required
- Vacsol® low pressure treatment for general construction and joinery timbers

Hardwoods

...we've got the range, the quality and the service

MH Southern has the North East's widest range of quality hardwood timbers available from stock.

A choice of kiln dried hardwoods, all sourced from managed resources, all ready and waiting for your next construction, furniture, joinery or shop fitting project.

Either sawn or machined, MH Southern can meet your exact requirements. Not only that but we will guarantee prompt delivery of your order from our stock range anywhere on our delivery routes!



Ash



Beech



Cherry



Maple



Meranti



American Oak



Sapele



Tulip



Iroko

All photos shown are for illustration purposes only. Samples are available on request.



We also stock

- European Oak
- White Beech
- Utile
- Home Grown Oak



email: sales@mhsouthern.co.uk

visit: www.mhsouthern.co.uk

MH Southern & Company Limited
Green Lane Sawmills, Felling, Gateshead, NE10 0JS
Tel: **0191 489 8231**

Tweedside Timber & Joinery
Tweedmouth Industrial Estate, Berwick upon Tweed, TD15 2XF
Telephone: **01289 307401**