

Welcome to M.H. Southern & Co. Ltd.

Unrivaled expertise in bespoke timber profiles and finishes

At M.H. Southern & Co. Ltd, we don't just supply timber, we shape it to meet your exact vision. With a library of over 1,800 bespoke profiles, we are the trusted name in precision mouldings, capable of matching any special pattern to the most exacting standards. From rough sawn timber to finished profiles, our advanced machining capabilities allow us to deliver flawless results, every time.

Operating from our state-of-the-art sawmills, we manufacture millions of metres of timber annually - from 6 x 20mm to 150 x 295mm - with every size in between covered. Whether you're after planed all round, finished profiles, or intricate custom mouldings, we are a true one-stop timber solution.

Our service extends beyond machining. We offer a full suite of treatments and finishes, Including Charring & Cindering, FRX® and HR Prof® fire retardant treatments, as well as white acrylic water-based priming and clear lacquer options with a finish range from 5% matt to 90% gloss. For added visual impact and durability, our Teknos Woodex oil system can be applied as either a translucent or flat finish.

Within this brochure, you'll find our standard profile collection, but if your project demands something unique, our skilled team is ready to match any pattern or create a custom solution tailored to your needs.

Let us bring your design to life - in timber, with precision.







Treatments & Finishes

To ensure the very best performance, we can add a choice of proven, industrially applied preservative or fire retardant protection that give you and your customers peace of mind.







TANALISED timber is impregnated with **TANALITH E** wood preservative in our controlled, high pressure vacuum impregnation plant for long term protection against decay and insect attack. The treated timber has a natural green colouration which slowly weathers to a warm, honey brown, before becoming a natural silver grey in the long term.

We also offer **TANATONE** treatment for your cladding. All the protection benefits of **TANALISED** timber but with a rich brown colour already added.

VACSOL Aqua is industrially applied in our controlled, low pressure, double vacuum plant. This gives an outer envelope of protection to the cladding timbers, allowing the wood to dry quicker and helping to retain its original dimensions.

CHARRED & CINDERED is a traditional Japanese wood-burning technique which involves charring the wood's surface, cooling it with water, then sealing it. The technique is designed to make the wood fire-resistant with the added bonus of a beautiful, textured charcoal finish. A low-maintenance finish designed to last a lifetime.

sentrin frx fire retardant treated timber has been pressure impregnated with Exterior Fire-X, a leach resistant (Type LR) formulation. It significantly reduces the spread of fire, heat and smoke generation without compromising critical engineering properties. ISO9001 controlled factory conditions ensure lasting protection without further maintenance.

HR PROF SPRAY-APPLIED FIRE RETARDANT treatment is internationally approved. Once absorbed into the surface of the wood, it combines chemically within the cell structure and allows the wood to breathe naturally. In the event of fire, the spread of flame is curbed by restricting carbon char to the immediate area.

PRIMING with a white acrylic, water-based primer achieves excellent opacity results on all types of hardwood, softwood and MDF. This modified co-polymer undercoat can be overcoated on site with either water-based or solvent-based paints.

clear Lacquering offers excellent clarity, build and resistance. Available in a range of high performance options from 5% matt up to 90% gloss, it enhances the natural grain and offers added strength and protection.

translucent or opaque finish available in a wide range of colours. It is a low film build, matt, water-based finish suitable for use in heavy duty areas like decking, cladding and garden furniture.



GATESHEAD 0191 489 8231

Green Lane Sawmills, Felling, Gateshead NE10 0JS **01289 307401**

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk



Flooring & Cladding



Skirting & Backmoulds





MHS 112

Various thicknesses & widths All machined to BS 1297



MHS 6645

Felling Log Effect 25 x 100mm



MHS 6650



MHS 6010

MHS 6020


Hexham Ogee

75mm & wider

MHS 6030

Torus

Sunderland Ogee



19 & 25mm thicknesses

19 & 25mm thicknesses



MHS 6210

Pencil Round 19 & 25mm thicknesses 50mm & wider



MHS 6220

Twice Pencil Round 19 & 25mm thicknesses 50mm & wider



MHS 6230

19 & 25mm thicknesses



Chamfered



Lambs Tongue



MHS 6250

Lambs Tongue



19 x 75mm & wider



MHS 6260

Dual Mould (Pencil Round & Chamfer)

19 x 75mm & wider



MHS 8146

Alnwick Pattern



MHS 8152

Manchester Pattern

25 x 75mm & wider



MHS 9008

Berwick Ogee & Bead

19 x 75mm & wider



MHS 9010

Berwick Ogee 19 x 75mm & wider



MHS 1130

Beaded 19 x 150mm



Please note: All sizes are nominal. Drawings are not to scale.

MHS 6600 TG&V 1 Side

12 - 32mm thicknesses 100mm & wider

19 & 25mm thicknesses

MHS 6610

TG&V 2 Sides

100mm & wider

MHS 6615

MHS 6620

MHS 6625

100mm & wider

MHS 6630

Log Effect

19 x 100mm

MHS 6640 Log Effect

25 x 100mm

TG&V & Beading

19 x 100mm & wider

Spooned Weatherboard

Spooned Weatherboard T&G

16 & 19mm thicknesses

. 19 x 100mm & wider



Log Effect

25 x 125mm



25 x 150mm

MHS 6670

Feather Edge

25 x 150mm

MHS 6680

25 x 150mm

MHS 6690

25 x 150mm

MHS 9014

Channel Lining

100mm & wider

19 & 25mm thicknesses

Channel Lining

Channel Linina





MHS 6040

75mm & wider

75mm & wider

Jarrow Ogee 19 & 25mm thicknesses



MHS 6050

Ovolo

19 & 25mm thicknesses 75mm & wider



MHS 6060

Antique 19mm thickness 50mm & wider



MHS 6070 Felling Moulded

25 x 75mm



MHS 6080 Felling Antique/

Pencil Round 25 x 175mm

Please note: All sizes are nominal. Drawings are not to scale.

GATESHEAD 0191 489 8231

DID YOU KNOW? We keep a range of cladding in stock, ready

to load on your next delivery. To view stocked items please visit

mhsouthern.co.uk/timber-products/cladding-products

Green Lane Sawmills, Felling, Gateshead NE10 0JS **BERWICK UPON TWEED** 01289 307401

Email sales@MHSouthern.co.uk

> **Timber Importers & Sawmillers** since 1913

MHSouthern.co.uk

Visit our website



Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY









Picture, Dado & Delph Profiles





MHS 6110 Picture Rail 25 x 50mm



MHS 6140 Dado Rail 25 x 50mm





MHS 6150 Picture Rail 38 x 100mm



MHS 6125 Dado Rail 25 x 75mm



MHS 6170 **Picture Rail** 25 x 50mm



MHS 6130 **Dado Rail** 25 x 63mm



MHS 6180 Quadrant 19 x 19mm

25 x 25mm

Handrails & Baserails



MHS 6310 **Mopstick Handrail** 50 x 50mm



MHS 6330 Pig's Ear Handrail 38 x 100mm



MHS 6320 Handrail 50 x 75mm (Takes 32 or 41mm Spindles)



MHS 6340 Base Rail 38 x 75mm (Takes 32 or 41mm Spindles)



MHS 6322 Handrail 63 x 75mm



MHS 6342 **Base Rail** 38 x 75mm

DID YOU KNOW? M.H. Southern & Co. Ltd. produce more than 4 million metres of moulded timber per annum. That's enough to stretch end-to-end from Newcastle upon Tyne to Cairo.

Please note: All sizes are nominal. Drawings are not to scale

Decking



MHS 6325 Handrail 50 x 75mm Lengths up to 4.8m



MHS 6345 Baserail 38 x 75mm Lengths up to 4.8m




MHS 6350 Dual Deck Board 38 x 150mm Lengths up to 4.8m



MHS 6360 **Dual Deck Board** 38 x 100mm Lengths up to 4.8m




Deck Joists/Beams 47 x 100mm 47 x 175mm 47 x 150 mm 47 x 200mm Lengths up to 6m



Newel Post 82 x 82 x 1600mm finished size, including ball finial

Support Posts 75 x 75mm 75 x 100mm 100 x 100mm Lengths up to 4.8m



Please note: All sizes are nominal. Drawings are not to scale.

Fencing





Weatherboard Log Effect 19 x 100mm 25 x 125mm

25 x 150mm 19 x 150mm 25 x 100mm



Weatherboard Spooned

19 x 100mm 19 x 150mm 19 x 125mm 25 x 150mm



MHS 6375 Fence Capping 38 x 50mm with 22mm groove 38 x 75mm with no groove



MHS 6385 **Fence Capping** 38 x 50mm

Sleepers

Softwood Sleepers Green or Brown Treated 100 x 200mm x 2.4m 125 x 250mm x 2.4m



Hardwood Sleepers Rustic Oak 100 x 200mm x 2.4m





GATESHEAD 0191 489 8231 Green Lane Sawmills,

Felling, Gateshead NE10 0JS

BERWICK UPON TWEED 01289 307401

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY











Door & Window Profiles





MHS 6410 Nosed & Rebated 25, 32 & 38mm thicknesses 150 - 275mm widthes



MHS 6465 Sub Cill 50 x 75mm



MHS 6420 Nosed 25, 32 & 38mm thicknesses 150 - 275mm widthes



MHS 6475 Meranti Door Cill 50 x 150mm



MHS 6440 Hartlepool Weather Mould 50 x 75mm



MHS 6510
Door Frame
63 x 100mm 75 x 115mm
Also available as square



MHS 6445 Door Weather Mould 50 x 75mm



MHS 6520 Ovolo Door Frame 75 x 115mm



MHS 6460 Sub Cill 38 x 75mm



MHS 6530 Dressed & Rebated 32 - 50mm thicknesses 100mm & wider

You can rely on M.H. Southern & Co. Ltd. as the trusted name in quality and precision for all of your profiles and molds. Speak to our sales team about your next project.

External Sales Team (Pictured L-R)



Steve Croucher - Sales Executive Wayne Bowe - Sales Executive David Huggins - Sales & Marketing Director John Gardner - Sales Manager

Internal Sales Team (Pictured L-R)



Max Southern - Sales Executive
David Michael - Business Development Manager
Peter Wheatley - Sales Office Manager
Joe Murray - Sales Executive
Thomas Bolam - Hybrid Sales Executive
Ian Hunt - Sales Executive (not pictured)

Please note: All sizes are nominal. Drawings are not to scale.

Version 1.2



O191 489 8231

Green Lane Sawmills, Felling, Gateshead NE10 0JS **01289 307401**

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY