WoodLux Engineered Flooring



Timber Importers & Sawmillers since 1913

MHSouthern.co.uk

WoodLux Engineered Flooring

A diverse collection of high-quality hardwood flooring offering strength, natural beauty and a touch of grandeur to your space.





Whether you prefer a traditional or contemporary aesthetic, WoodLux Engineered Flooring embodies the timeless beauty of hardwood.

Effortlessly enhance any space, with the elegance, versatility and durability of the WoodLux Collection.

The WoodLux Collection offers exquisite finishes for every style. Our Design and Structural Collections cater to diverse tastes with a range of finishes that bring out the natural charm of the wood in each plank.

Whether you prefer the classic warmth of natural oak, a pristine white oak, or a modern grey, our collections have you covered. Furthermore, we offer finishes such as brushed and oiled, adding a touch of sophistication, and Lacquered for a sleeker shine.

For those embracing contemporary trends, our selection of stylish greys effortlessly blends modern aesthetics with the warmth of natural wood.


















Market Leading T&G and Clic Systems



Traditional Tongue & Groove



Tongue and groove will allow for natural movement of the floor over time, reducing any squeaking or noise caused by walking. Depending on the thickness (above 17.5 millimetres), T&G flooring can be installed over joists as well as subfloors. And because of the glue, it will have more resistance to any spills from accidents, or fluctuations in moisture levels.

Clic System



The Clic System is deemed to be more DIY-friendly due to its simplicity in regards to being fitted. In principle, it is similar to the tongue and groove system in that the boards slot together like a jigsaw, however the difference is that when you slot the boards together, they click and lock in place due to the hook-like structure, removing the need for glue or nails to lay the floor.

Structure

1 High Quality European Veneers Our floors come with high-quality, sustainably sourced oak veneers with thicknesses from 2.5-6.0mm.

2 Bevelled Edge

Each plank features a bevelled edge to each side of the board. This feature outlines the board's unique character and styling.

3 Choice of Clic or T&G Systems Market leading licensed systems from Valinge & Unilin.

4 Strong & Stable

Our engineered floors are made using a high-quality multiply construction of between three and eight layers depending on the finished thickness.

Underfloor Heating



It is recommended to use engineered wood flooring with underfloor heating. Solid hardwood flooring is more susceptible to natural expansion when exposed to changes in temperature and should not be used when the required heat output is high. If not installed properly, the temperature fluctuations can cause the boards to warp and crack. Engineered wood, on the other hand, because of its softer plywood core, does not expand or move as much with climate fluctuations.



GATESHEAD 0191 489 8231

Green Lane Sawmills, Felling, Gateshead NE10 0JS BERWICK UPON TWEED 01289 307401

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY











Natural Oak

WoodLux Planks

Clic (1257)

Grade: Nature Finish: Brushed & Matt Lacquered

Dimensions: 12/3mm x 190 x 1900mm System: Clic









Blonde Oak

Aspen Oak

Embleton Oak









Misted Oak Platinum Oak

Cognac Oak **Harvest Oak**



Code	Product Description
TENOBML1421P	Planks Natural Oak 12 x 190 x 1900mm, 2.888m² per pack
TEBOBML1422P	Planks Blonde Oak 12 x 190 x 1900mm, 2.888m² per pack
TEAOBML1423P	Planks Aspen Oak 12 x 190 x 1900mm, 2.888m² per pack
TEEOBML1424P	Planks Embleton Oak 12 x 190 x 1900mm, 2.888m² per pack
TEMOBML1425P	Planks Misted Oak 12 x 190 x 1900mm, 2.888m² per pack
TEPOBML1426P	Planks Platinum Oak 12 x 190 x 1900mm, 2.888m² per pack
TEHOBML1427P	Planks Harvest Oak 12 x 190 x 1900mm, 2.888m² per pack
TECOBML1428P	Planks Cognac Oak 12 x 190 x 1900mm, 2.888m² per pack




WoodLux Herringbone

Grade: Nature Finish: Brushed & Matt Lacquered Dimensions: 12/3mm x 150 x 600mm System: Clic










Natural Oak

Blonde Oak


Aspen Oak

Embleton Oak









Misted Oak

in 🚿 💿

Platinum Oak

Harvest Oak

Cognac Oak





Code **Product Description**

TENOBML1441H	Herringbone Natural Oak 12 x 150 x 600mm, 2.16m² per pack	
TEBOBML1442H	Herringbone Blonde Oak 12 x 150 x 600mm, 2.16m² per pack	
TEASBML1443H	Herringbone Aspen Oak 12 x 150 x 600mm, 2.16m² per pack	
TEEOBML1444H	Herringbone Embleton Oak 12 x 150 x 600mm, 2.16m² per pack	
TEMOBML1445H	Herringbone Misted Oak 12 x 150 x 600mm, 2.16m² per pack	
TEPOBML1446H	Herringbone Platinum Oak 12 x 150 x 600mm, 2.16m² per pack	
TEHOBML1447H	Herringbone Harvest Oak 12 x 150 x 600mm, 2.16m² per pack	
TECOBML1448H	Herringbone Cognac Oak 12 x 150 x 600mm, 2.16m ² per pack	



GATESHEAD 0191 489 8231 Green Lane Sawmills,

Felling, Gateshead NE10 0JS

BERWICK UPON TWEED 01289 307401

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY

Email sales@MHSouthern.co.uk



since 1913

Visit our website MHSouthern.co.uk **Timber Importers & Sawmillers**



The Structural Collection

T&G

Crafted with stronger 20mm boards, making it perfect for high-traffic areas and busy households.

Vintage Engineered Oak

Engineered Oak



Natural Oak

Grade: Nature

Finish:

Brushed & UV Oiled

Dimensions: 20/6mm x 191 x 1900mm

Natural Oak Wide

Grade: Nature

Finish:

Brushed & Oiled

Dimensions: 20/6mm x 240 x 2200mm

Dimensions: 20/6mm x 190 x 1900mm

Whiskey Barrel

Grade: Antique

Finish:

Old Charm

Grade: Antique

Finish: Brushed & Hardwax Oiled

Brushed & Hardwax Oiled

Dimensions:

20/6mm x 190 x 1900mm

Premium Underlay

Enhance the WoodLux experience. Feel and hear the difference beneath your feet, with sound-absorbing, premium underfloor solutions.




FloorLayer+

Thickness: 3mm Foam

Coverage: 15m²

STC Rating: 17dB

Dimensions: 1m x 15m



Platinum+

Thickness: 2mm Rubber

Coverage: 10m² STC Rating: 22dB

Dimensions: 1m x 10m



Underfloor

Heating

RadiantFlo+

Thickness: 2mm Foam

Coverage: 15m²

STC Rating: 20dB

Dimensions: 1.1m x 13.64m



Product Description Code

TENOBUVO4433 Structural Collection Natural Oak, Brushed & UV Oiled

20 x 191 x 1900mm, 1.8145m² per pack

TENOUVBO4450 Structural Collection Natural Oak Wide, Brushed & Oiled

20 x 240 x 2200mm, 2.64m² per pack

TEWBBHW05040 Structural Collection Whiskey Barrel, Brushed & Hardwax Oiled

20 x 190 x 1900mm, 1.805m² per pack

TEOCBHWO5042 Structural Collection Old Charm, Brushed & Hardwax Oiled

20 x 190 x 1900mm, 1.805m² per pack

Product Description Code

TEFU2635 FloorLayer+ 3mm Foam with DPM/Overlap, 15m² per pack

TEFU4131 Platinum+ 2mm Rubber with Overlap, 10m² per pack

TEFU2637 RadiantFlo+ 2mm Foam UFH with DPM/Overlap, 15m² per pack

TEFU4338 Pro Bond+ Trowel Adhesive, 13kg (covers approx. 10-12m²)

TEFU4338-T Pro Bond+ Trowel

T&G Fix Bottled PVA Adhesive, 750g (covers approx. 10-15m²)



GATESHEAD 0191 489 8231 Green Lane Sawmills,

Felling, Gateshead NE10 0JS

BERWICK UPON TWEED 01289 307401 Unit BT71 Tweedside Trading Estate,

Berwick upon Tweed TD15 2UY

Email sales@MHSouthern.co.uk

MHSouthern.co.uk **Timber Importers & Sawmillers**

Visit our website


since 1913



TEFU4339







Rates

Orders below the minimum order value of £550 will be subject to a freight contribution of £45.

Deliveries to UK Mainland residential addresses will be subject to a £45 freight contribution no matter the order value.

If you are located outside of the dark red areas shown on the map, additional charges may occur.

Additional Service Surcharge

Saturday	£60
Next Day	
Single Packs	
Highlands & Islands	

Disclaimer

Please note that the pricing information provided is subject to change. We always strive to provide accurate pricing, however factors such as market fluctuations, availability and supplier costs can influence the price.

Version 1.4.2



GATESHEAD **0191 489 8231**

Green Lane Sawmills, Felling, Gateshead NE10 0JS **01289 307401**

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY