

Species

Our choice of eight beautiful timber species, all from sustainable sources, will help you create responsible and beautiful designs for your next interior or exterior cladding project.











Accoya®

Abodo® Vulcan

Western **Red Cedar**

British Larch*









Clear **Douglas Fir**

Redwood

Scandinavian Thermowood **Radiata Pine**

Canadian Larch

Profiles

MHS 6650

Each species is machined to order in twelve traditional profile designs. We can also produce bespoke profiles to suit all applications, and offer expert advice on the most appropriate timber for each project.



MHS 6660



MHS 6670





















MHS 9014

Ex Stock Cladding

Kiln dried British Larch - Ex 25 x 150mm x 3.6/4.8m**

- Dressed to profile MHS 6620 shiplap, fin 20 x 145 (135 face) for horizontal application
- Dressed to profile MHS 6690 channel lining, fin 20 x 145 (126 face) for vertical application

Treatments & Finishes

To ensure the very best performance, we can add a choice of proven, industrially applied preservative or fire retardant protection that give you and your customers peace of mind.





TANALISED timber is impregnated with **TANALITH E** wood preservative in our controlled, high pressure vacuum impregnation plant for long term protection against decay and insect attack. The treated timber has a natural green colouration which slowly weathers to a warm, honey brown, before becoming a natural silver grey in the long term.





VACSOL Aqua is industrially applied in our controlled, low pressure, double vacuum plant. This gives an outer envelope of protection to the cladding timbers, allowing the wood to dry quicker and helping to retain its original dimensions.

CHARRED & CINDERED is a traditional Japanese wood-burning technique which involves charring the wood's surface, cooling it with water, then sealing it. The technique is designed to make the wood fire-resistant with the added bonus of a beautiful, textured charcoal finish. A low-maintenance finish designed to last a lifetime.

SENTRIN FRX FIRE RETARDANT treated timber has been pressure impregnated with Exterior Fire-X, a leach resistant (Type LR) formulation. It significantly reduces the spread of fire, heat and smoke generation without compromising critical engineering properties. ISO9001 controlled factory conditions ensure lasting protection without further maintenance.

HR PROF SPRAY-APPLIED FIRE RETARDANT treatment is internationally approved. Once absorbed into the surface of the wood, it combines chemically within the cell structure and allows the wood to breathe naturally. In the event of fire, the spread of flame is curbed by restricting carbon char to the immediate area.

PRIMING with a white acrylic, water-based primer achieves excellent opacity results on all types of hardwood, softwood and MDF. This modified co-polymer undercoat can be overcoated on site with either water-based or solvent-based paints.

CLEAR LACQUERING offers excellent clarity, build and resistance. Available in a range of high performance options from 5% matt up to 90% gloss, it enhances the natural grain and offers added strength and protection.

TEKNOS WOODEX OIL is a translucent or opaque finish available in a wide range of colours. It is a low film build, matt, water-based finish suitable for use in heavy duty areas like decking, cladding and garden furniture.

GATESHEAD

0191 489 8231

Green Lane Sawmills, Felling, Gateshead NE10 0JS BERWICK UPON TWEED 01289 307401

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY

Email sales@MHSouthern.co.uk







^{*}Also available in our Ex Stock range. **CoC Certified available.



Accoya is an ultra-high performance wood made from sustainably sourced timber and modified through a patented acetylation process, delivering unmatched durability and dimensional stability.

Accoya can be left natural or finished to suit any design, providing lasting performance in any climate or application. Backed by a **50-year above-ground warranty** and **25 years in-ground or freshwater**, Accoya is the trusted choice for exterior projects where longevity and low maintenance are key.

Unrivalled Benefits:

- Virtually no movement
- Dimensionally stable
- Minimal maintenance
- Sustainably sourced
- Non toxic
- 100% recyclable

- Industry-leading warranty
- Virtually termite proof
- 60 year service life
- Excellent machinability
- Retained strength & density
- Exceptional finish









To find out more about Accoya, scan the code, or contact our Sales Team for expert advice.



Version 8.2.1



GATESHEAD **0191 489 8231**

Green Lane Sawmills, Felling, Gateshead NE10 0JS **01289 307401**

Unit BT71 Tweedside Trading Estate, Berwick upon Tweed TD15 2UY