

Quality Timber Merchant Solutions

M.H. Southern & Co. Ltd.

MHS

Timber Importers & Sawmillers
since 1913

MHSouthern.co.uk

Welcome to M.H. Southern & Co. Ltd.

Timber is Our Business!



Our company was founded in 1913 by Matthew Henry Southern. Its role then, was as Timber Importers and Sawmillers, supplying the timber requirements of the shipbuilding and ship repair yards on the North East coast.

Today, M.H. Southern & Co. Ltd. is a fifth generation family company specialising in timber importing, sawmilling, and providing a high quality, flexible service to all construction and allied industries.

“On behalf of everyone at M.H. Southern & Co. Ltd, I would like to extend my sincere thanks for your continued trust and partnership.

As a leading supplier in the timber industry, we take pride in offering a wide range of high-quality products and bespoke services tailored to meet your needs — from precision planning and mouldings to timber treatments, decking, fencing, and landscaping timbers. Our commitment is to provide not just materials, but solutions that help you deliver exceptional value to your customers.

Your ongoing support plays a vital role in our growth and success, and we are truly grateful to be your trusted supplier. We remain dedicated to helping your business thrive through reliable service, expert guidance, and innovative timber solutions. Should you have any feedback or new requirements, our team is always here to support you.

Thank you once again for your business — we look forward to building even stronger ties in the future.”

David Huggins
Sales & Marketing Director

External Sales Team (Pictured L-R)



Steve Croucher - Sales Executive
Wayne Bowe - Sales Executive
David Huggins - Sales & Marketing Director
John Gardner - Sales Manager

Internal Sales Team (Pictured L-R)



Max Southern - Sales Executive
David Michael - Business Development Manager
Peter Wheatley - Sales Office Manager
Joe Murray - Sales Executive
Thomas Bolam - Hybrid Sales Executive
Ian Hunt - Sales Executive (not pictured)

Services

Our team of experts are here to make your life easier.

Machining

Converting rough sawn timber into planed all round or finished profiles is a major part of our business. Every year we machine millions of metres of timber in our sawmill from a finished size of 6 x 20mm right up to 150 x 300mm and every size in between.

We have 8 planer moulders, 6 band resaws which can cut up to 600 x 600mm dimension and up to 18.3 metres (60') long, 2 multirips as well as various cross cuts, spindle moulders and hand held machines for drilling, trenching and other timber machining work.



Treatments & Finishes

Working with our timber treatments protection partner **Arxada®**, we offer the very latest treatments to protect your timbers against wood decay and insect attack.



We also offer stunning finishing options such as the traditional Japanese Charred & Cindered technique, **Sentrin FRX®** or **HR Prof®** Fire Retardant, Priming, Clear Lacquering, **Teknos Woodex®** Oil and much more.



Strength Grading

We have specially TRADA-trained visual graders on site to grade timber to the specified strength requirement. We can grade to C16, C24 and C27 strength requirements.

Regulated by BM TRADA, the graders examine each piece of fully traceable timber, assessing it for the presence of naturally occurring growth characteristics which affect strength, including the slope of grain, rate of growth and knot content. Grading rules specify acceptable limits for these features. If required, timber can also be graded by machine.



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email

sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk

Timber Importers & Sawmillers
since 1913

Decking

Our Redwood decking is machined from high quality Scandinavian Redwood, offering a perfect alternative to a paved area.



Scandinavian Redwood



Pressure treated for exterior use above ground for added longevity.

Kiln-dried Scandinavian Redwood Decking**

Brown Pressure Treated, Grooved/Reeded

- 32 x 145mm
- Spindles** Stop Chamfered/Turned
 - 41 x 41 x 895 mm
- Handrail** Complete with Infill
 - 44 x 66mm
- Baseraill** Complete with Infill
 - 32 x 66mm
- Newels** Chamfered/Turned
 - 82 x 82 x 1250mm



Kiln-dried Softwood C16 Graded Joists**

Brown Pressure Treated

- 47 x 100mm x 3.6/4.2/4.8m
- 47 x 150mm x 3.6/4.2/4.8m

Anti-Slip Decking Green Pressure Treated

- 32 x 144mm x 3.6/4.8m

Anti-Slip Decking**

Our anti-slip decking will help you enhance your design with important safety features.

- Anti-Slip Inserts
- PTV 71 Slip Resistant
- Joinery Grade Scandinavian Redwood
- Domestic/Commercial use

Crafted from Scandinavian Redwood, this product offers a harmonious blend of sustainability and durability. Its joinery grade construction ensures a proper & suitable Anti-Slip decking solution ideal for both commercial and domestic applications. With a PTV71 slip resistance rating, safety is paramount, providing peace of mind in high-traffic areas. This decking not only promises longevity being Tanalised Green Pressure Treated but also minimises maintenance costs over time. Whether enhancing outdoor spaces or creating safe walkways, this anti-slip decking serves as a reliable solution, offering both aesthetic appeal and practicality in equal measure.



**CoC Certified available.



Fencing & Landscaping

We stock a great range of green treated (Tanalised) and brown treated (Tanatone) fencing and landscaping products.

Fencing Brown / Green Pressure Treated



Boards

- 16 x 100mm x 1.8m
- 16 x 150mm x 1.2m
- 16 x 150mm x 1.8m
- 16 x 150mm x 2.4m
- 19 x 100mm x 1.8m
- 19 x 150mm x 1.8m
- 19 x 150mm x 2.4m
- 16 x 150mm x 1.8m (Feather Edge)

Postmix

- 20kg

Posts

- 75 x 75mm x 1.8m
- 75 x 75mm x 2.4m
- 75 x 75mm x 3.0m
- 75 x 100mm x 2.4m
- 100 x 100mm x 1.8m
- 100 x 100mm x 2.4m
- 100 x 100mm x 3.0m
- 150 x 150mm x 2.4m
- 150 x 150mm x 3.0m

Capping

- 38 x 50mm (Grooved)

Rails

- 38 x 75mm x 3.6m
- 38 x 75mm x 4.2m

Joists

KD C16 Eased Edge

- 47 x 100mm
- 47 x 150mm

Sleepers

Landscape

Brown / Green Pressure Treated

- 200 x 100mm x 2.4m

Traditional

Brown / Green Pressure Treated

- 250 x 125mm x 2.4m



Rustic Solid Oak

- 200 x 100mm x 2.4m

Cladding

Our choice of eight sustainable timber species will help you create responsible, beautiful designs for your next interior or exterior project.




accoya



Abodo®
Vulcan



Western
Red Cedar



British
Larch



Clear
Douglas Fir



Thermowood
Radiata Pine

Speak to our experts today to find the perfect species for your projects.

We are ready and waiting for your order. Thank you.



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email

sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk

Timber Importers & Sawmillers
since 1913

Sheet Material

Hardwood Plywood

Class 2, B/BB Hardwood, CE2 and Structural**

- 2440 x 1220 x 3.6mm (non-structural)
- 2440 x 1220 x 5.5mm (non-structural)
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 25mm

Bonding Class 3**

- 2440 x 1220 x 5.5mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm

Softwood Plywood

Class 3, C+/C Softwood (one sanded face), CE2 and Structural**

- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 18mm

SC117 Plywood

Flooring Grade Glue-line conforms to EN 314-2 Class 3 E1**

- 2440 x 1220 x 5.5mm

Marine Plywood

BS1088 Stamped Class 3**

- 2440 x 1220 x 6mm
- 2440 x 1220 x 18mm

Birch Plywood

Bonding Class 3 BB/BB Grade**

- 2440 x 1220 x 4mm
- 2440 x 1220 x 6.5mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 24mm

Bonding Class 3 CP/CP Grade**

- 1525 x 1525 x 3mm
- 1525 x 1525 x 5mm
- 1525 x 1525 x 6mm
- 1525 x 1525 x 9mm

Flexi Plywood

Long Grain Non Certified

- 2440 x 1220 x 5mm
- 2440 x 1220 x 8mm

**CoC Certified available.

Sapele Marine Plywood

Lloyds approved, Bonding Class 3

B/BB Grade**

- 2440 x 1220 x 5mm
- 2440 x 1220 x 6mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 22mm
- 2440 x 1220 x 25mm
- 2440 x 1520 x 9mm
- 2440 x 1520 x 12mm
- 2440 x 1520 x 25mm

OSB3

Structural board, mixed species bonded with resin (humid conditions only)**

- 2397 x 1197 x 9mm
- 2400 x 600 x 18mm T&G
- 2440 x 1220 x 11mm
- 2440 x 1220 x 18mm

Chipboard

P5 Moisture Resistant**

- 2400 x 600 x 18mm T&G
- 2400 x 600 x 22mm T&G
- 2400 x 610 x 18mm White Melamine Faced

Riga Heksa Plus

Black & Brown**

- 2440 x 1220 x 18mm



Riga Heksa Plus

We also stock a wide range of Screws & Hardware

Sheet Material - MDF

Standard MDF

CoC Certified available

- 2440 x 1220 x 3mm
- 2440 x 1220 x 6mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 25mm
- 3050 x 1220 x 22mm
- 3050 x 1220 x 25mm

Moisture Resistant MDF

CoC Certified available

- 2440 x 1220 x 6mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 25mm
- 2440 x 607 x 9mm T&G Unprimed Panel

Fire Retardant MDF

CoC Certified available

- 2440 x 1220 x 6mm
- 2440 x 1220 x 9mm
- 2440 x 1220 x 12mm
- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 22mm
- 3050 x 1220 x 25mm

Melamine Faced MDF

Polar White, CoC Certified available

- 2440 x 1220 x 15mm
- 2440 x 1220 x 18mm
- 2440 x 1220 x 25mm

Available in handy 'Mini Packs' All listed items ex stock

Best Sellers



Fifths Redwood - PSE

1m³ mini packs

- 25 x 50mm
- 25 x 75mm
- 25 x 100mm
- 25 x 125mm
- 25 x 150mm
- 25 x 175mm
- 25 x 225mm
- 38 x 150mm
- 38 x 225mm
- 50 x 50mm
- 50 x 75mm
- 50 x 100mm
- 50 x 125mm
- 50 x 150mm

Unsorted Redwood - PSE

1m³ mini packs

- 16 x 50mm
- 25 x 50mm
- 25 x 75mm
- 25 x 100mm
- 25 x 125mm
- 25 x 150mm
- 25 x 200mm
- 25 x 225mm
- 38 x 100mm
- 38 x 125mm
- 38 x 150mm
- 50 x 100mm
- 50 x 150mm

Mouldings

- 19 x 100mm Pencil Round/Chamfered Skirting
- 25 x 125mm Torus/Ogee Skirting
- 25 x 175mm Torus/Ogee Skirting
- 19 x 100mm TG&V 1 side Matchboarding
- 25 x 125mm T&G Flooring
- 25 x 150mm T&G Flooring
- 32 x 150mm T&G Flooring

Mouldings

- 50 x 50mm Mopstick
- 25 x 100mm MHS 6645 Log Effect
- 19 x 125mm MHS 6620 Spooned Weatherboard

We are ready and waiting for your order. Thank you.



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email

sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk

Timber Importers & Sawmillers
since 1913

Hardwood Timber



We offer an exceptional selection of high-quality hardwood timber species, carefully chosen to meet the demands of a wide range of applications - including furniture manufacturing, custom joinery, floorings, windows, doors and cabinetry.

Whatever your project, we have the perfect variety of hardwoods to bring it to life.



American White Ash



American White Oak



Iroko



Meranti



Sapele



Tulip



Performance and sustainability.

Unprecedented reliability for timber; Accoya is checked and trusted not to visibly swell, shrink or distort, with minimal movement. Highly durable, it withstands the test of any climate. A **50 year above ground warranty** and **25 year below ground and freshwater warranty** are testament to the fact that you can expect to enjoy your Accoya wood for many decades.


From source to production through to end of life, sustainability shines through. **Cradle-to-Cradle Gold Certified**[®], it is the only construction material in the world to achieve **C2C Platinum Certification**[™] for Material Health. With a low carbon footprint, and no toxicity you can help combat carbon emissions for a healthier world.

Grade A1**

- 25 x 100mm x 4.2m
- 25 x 125mm x 4.8m
- 25 x 150mm x 4.2m
- 25 x 200mm x 2.4/4.8m
- 38 x 200mm x 4.8m
- 50 x 100mm x 2.4/3.6/4.2m
- 50 x 150mm x 4.2/4.8m
- 50 x 200mm x 4.8m
- 63 x 125mm x 2.4/4.8m
- 63 x 150mm x 3/4.2m
- 63 x 200mm x 4.8m
- 75 x 100mm x 3.6m
- 75 x 150mm x 3m
- 75 x 200mm x 4.8m

Grade A2**

- 63 x 125mm x 4.8m
- 75 x 150mm x 4.8m



**CoC Certified available.

Rail & Heavy Constructional Timber

We have been supplying, drilling and milling long, large and specialist timbers to the Rail & Construction Industry for over 100 years.

Douglas Fir

Pacific Coast/Home Grown

A strong, durable species available in merchantable and clear grades. Large sections lend themselves to heavy constructional use, while smaller, clear sections work well in joinery applications.

Ekki

Also known as Azobe

Because of its size, Ekki is perfect for rail longitudinal waybeams. With vibrant pink sapwood, dark red/brown heartwood and a beautiful grain, it's ideal for projects with an aesthetic purpose.

Opepe

Also known as Bilinga

The trees can grow up to 50m tall and 2m wide. This makes it possible to achieve large planks of around 10-12m in length. It is one of the most durable, hard wearing timbers available.

German Whitewood

A versatile, well presented softwood. Our range includes larger sections up to 300 x 300mm and kiln-dried sections up to 75 x 300mm. Long lengths up to 7.2m are available from stock.

Marine, Harbour & Sea Defence

For many years, our products and services have grown into sea defence, harbour, port and marine applications.

We carry deep stocks and can provide bespoke sizes on request. Douglas Fir is commonly used as Timber Groynes that help slow the erosion of the beaches.

Douglas Fir, C24 Graded**

- 75 x 225mm
- 150 x 225mm
- 225 x 225mm

We also stock Ekki, used for specialist construction projects for Piers, Bridges, Lock Gates as well as Groyne Timbers. Greenheart is often used in Heavy Civils, as well as Opepe as a solution for Marine Construction, Jetties and Bridges.

**CoC Certified available.



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email

sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk

Timber Importers & Sawmillers
since 1913

Luxtone Vinyl Flooring


Enjoy the benefits of the next generation in Rigid Vinyl Floor Technology.



Manufactured using the latest **Uniclic®** & **Unidrop®** locking systems, combining a flexible but rigid core with improved installation and a stronger joint than traditional SPC.

Advantages

- Next Generation Core Technology
- Lighter but Stronger
- Advanced Ceramic PUR Coating
- Commercially Rated
- More Stable
- Better Sound Insulation
- Natural Embossed Designs
- Soft Touch Feel
- Licensed LOC Systems
- Environmentally Friendly



Structure

- 1 PUR Coating
- 2 Wear Layer
- 3 Decor Layer
- 4 Next-gen SPC Core
- 5 Built-in Underlay

Plank

Dimensions: 4.5+1mm x 180 x 1220mm



Herringbone

Dimensions: 4.5+1mm x 122 x 610mm



Tile

Dimensions: 4.5+1mm x 457 x 914mm


WoodLux Engineered Flooring

A diverse collection of high-quality hardwood flooring offering strength, natural beauty and a touch of grandeur to your space.




Whether you prefer a traditional or contemporary aesthetic, WoodLux Engineered Flooring embodies the timeless beauty of hardwood.

Effortlessly enhance any space, with the elegance, versatility and durability of the WoodLux Collection.



The Structural Collection



Engineered Oak

Vintage Engineered Oak



Natural Oak
Grade: Nature
Finish: Brushed & UV Oiled
Dimensions: 20/6mm x 191 x 1900mm

Natural Oak Wide
Grade: Nature
Finish: Brushed & Oiled
Dimensions: 20/6mm x 240 x 2200mm

Whiskey Barrel
Grade: Antique
Finish: Brushed & Hardwax Oiled
Dimensions: 20/6mm x 190 x 1900mm

Old Charm
Grade: Antique
Finish: Brushed & Hardwax Oiled
Dimensions: 20/6mm x 190 x 1900mm

Plank

Dimensions: 12/3mm x 190 x 1900mm



Herringbone

Dimensions: 12/3mm x 150 x 600mm



GATESHEAD
0191 489 8231
Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED
01289 307401
Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email
sales@MHSouthern.co.uk



Visit our website
MHSouthern.co.uk
Timber Importers & Sawmillers
since 1913

Four finishes available

Acoustic Wall Panels

Our timeless acoustic wall panels offer numerous benefits for homeowners seeking to enhance the audio quality of their living spaces.



- **Quick and easy to install**
- saving time and money
- **Bring both commercial and residential interiors to life**
- **The timeless beauty of real wood oak veneer on an MDF core**
- **Eco-friendly solid back panel**
made from recycled materials
- **Enjoy the peace with high level sound absorption as standard**
- reduce noise by 80%



Delivery

Our modern fleet of vehicles includes HI-AB off-loading facilities.

We offer daily deliveries throughout the North of England and Scottish Borders and we cover the whole of Scotland on a twice weekly basis.



UK-wide Delivery available on request

Version 2.7.4

M.H. Southern & Co. Ltd.

MHS

GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY